

HTTP API (SMS & VOICE TRIGGER Combo API)

http://www.smswave.in/panel/sendsmsv3.php?user=demodemo&password=s ms123&sender=ICUBEX&phonenumber=9199xxxxxxxx&text=Welcome%20to% 20SMS%20wave%20API.&msgtype=PT&pe_id=xxx&template_id=xxxx&voicetri gger=0&voiceretry=0&vtrig_delv_wait_time=x&vtrig_timeout=15&vtrig_codin g=0&vtrig_text=text&voiceonly=0

Parameters	Mandatory	Values	Description
User	YES	Username	The username can
		provided	be in alphanumeric or
		by SMSWAVE.in -	alphabetic format with
		alphanumeric	no special characters
Password	YES	Url Encoded string	The password must be
		of UTF-8	the same as used to log
		characters	on to
		alphanumeric -	the SMSWAVE.in portal.
		with special	
		character -	
		alphabetic	
Sender	YES	Sender id	Unique id of sender to
		provided by	send a message for
		service provide	receiver
PhoneNumber	YES	Phone number	The number must
		must be numeric	be in pure numeric
		only	format with no special
			characters
Text	YES	Message can be	Message which is send
		alphanumeric,	to receiver either
		non-English,	English or non-English.
		alphabetic etc	
msgType	Optional	-For Other	Indicates the type of the
		language*	message to be
	Can skip if	msgType=UT else	sentMessage Types : -
	english	msgType=PT -	UT- Used for hindi
		Text,	message text PT –Used
		Unicode_text	for English Message text
Pe_id	YES	Can Pass your	Optional if already
		Primary Entity ID	declared to helpdesk
			team

SMSWAVE.in – API V3 (Release 1 – HTTP) – Beta Release (Pre-Release draft) - document dated 7th Sept, 2023



		approved on DLT platform	
template_id	YES	Template ID of all approved templates for each message	Approved Template ID from DLT platform
Voicetrigger	Optional	0 = Disable 1 = Enable	Enable only if you want to trigger voice along with text
Voiceretry	Optional	0 = skip (default) <x> = Put any number (times you want to retry)</x>	Number of times call should retry unless user picks up the call, if you dont want to retry put 0
vtrig_delv_wait_time	Optional	0 = skip (default) <x> = Seconds between try time wait</x>	if you dont want to retry put 0. retrytime should be given in sec. for example if yu want to retry after 10 minutes in case of no answer, then put 600(10*6) as value in it)
vtrig_timeout	Optional	0 = end call after the voice is executed <x> wait time in seconds after the voice call is finished</x>	How many seconds you want to give the user to press the dtmf key. for example if you want to give 7 seconds to user to enter the dtmf key, give value 7. if after 7 sec, user dosent enter any key, the call will be disconnected.(not mandatory field)
vtrig_coding	Optional	0=English 1=Hindi 2=Tamil (tests in progress) Will be updated in final release	in case of english 0, in case of hindi and tamil give 2
vtrig_text	Optional	TEXT	text you want to convert in speech DLT Approval not needed here



Voiceonly	Optional	0=sms /	Only for those clients
-		sms+voice with	who are not taking sms,
		voice trigger	and only subscribing to
			voice APIs
		1=Voice only, skip	
		sms part	

Note:

Please note that Voice (text-2-Speech) is an add on service which needs to be purchased separately along with SMS Service or can be taken exclusively for Voice only

Report PushBack (optional Feature)

Here if the customer wants real-time report pushback they can give their API and we will push the reports back to them in real-time

Format:

msgid	generated at the time of trigger of SMS		
status	Delivery Status as per remote operator		
senderid	SenderID by which original SMS Was send		
submittime	Time at which it was submitted to operator		
delvtime	Time at which it was delivered to end user handset		
dlrcode	Response code (Details as per the table below)		

Response Codes: (HTTP API)

Error Code	Explanation	SMPP DLR Description
000	DELIVERED	DELIVRD
1	UNKNOWN SUBSCRIBER	UNDELIV
2	RDS NOT SUPPORTED SERVICE	UNDELIV
5	UNIDENTIFIED SUBSCRIBER	UNDELIV
6	ABSENT SUBSCRIBER	UNDELIV
7	UNKNOWN EQUIPMENT	UNDELIV
8	FSM TIMEOUT	UNDELIV
9	ILLEGAL SUBSCRIBER	UNDELIV
10	OUTSIDE WORKING HOURS	UNDELIV
11	TELESERVICE NOT PROVISIONED	UNDELIV
12	ILLEGAL EQUIPMENT	UNDELIV

SMSWAVE.in – API V3 (Release 1 – HTTP) – Beta Release (Pre-Release draft) - document dated 7th Sept, 2023



13	OPERATOR CALLBARRED	UNDELIV
14	Account Deactivated	UNDELIV
15	CUG REJECT	UNDELIV
21	FACILITY NOT SUPPORTED	UNDELIV
23	POWER REGISTRATION FAILURE	UNDELIV
24	MAPUE NEGATIVE PW CHECK	UNDELIV
25	NO HANDOVER NUMBER AVAILABLE	UNDELIV
27	ABSENT SUBSCRIBER	UNDELIV
29	SHORT TERM DENIAL	UNDELIV
31	SUBSCRIBER BUSY FOR MT SMS	UNDELIV
32	MEMORY CAPACITY EXCEEDED	UNDELIV
33	MESSAGE WAITING LIST FULL	UNDELIV
34	SYSTEM FAILURE	UNDELIV
35	DATA MISSING	UNDELIV
36	UNEXPECTED DATA VALUE	UNDELIV
37	SM-DELIVERY FAILURE	UNDELIV
50	UNKNOWN ERROR	UNDELIV
63	GT ERROR	UNDELIV
88	SRI TIMEOUT	UNDELIV
89	INVALID PACKET AT SMSC LEVEL	UNDELIV
90	USER-ABORT	UNDELIV
91	PROVIDER-ABORT	UNDELIV
92	MSC NUMBER MISSING	UNDELIV
100	DND	DND
101	ACCOUNT DETAILS NOT FOUND AT	
100	ROUTING	UNDELIV
102	SENDER ID BLOCKED	UNDELIV
	ROUTE NOT ACTIVE	UNDELIV
111	SPAM KEYWORD FOUND	UNDELIV
112	NOT A VALID TEMPLATE	UNDELIV
113	MANDATORY WORDS NOT FOUND	UNDELIV
114	DEFAULT ROUTE NOT FOUND IN CONFIGURED ROUTES	UNDELIV
	ROUTE NOT CONFIGURED AT PLATFORM	
115	LEVEL	UNDELIV
123	INTERNATIONAL ROAMING	UNDELIV
124	MESSAGE EXPIRED AT SMSC LEVEL	UNDELIV
200	OPERATOR BLOCKED FOR ACCOUNT	UNDELIV
222	MESSAGE CONTENT IS BLACKLISTED	UNDELIV
996	Flooding Filter	UNDELIV
999	Unknown error	UNDELIV
224	Misc error	UNDELIV



223	NETWORK ERROR	UNDELIV
998	Blacklisted Content/Senderid	REJECT
997	MSIDN BLOCK	REJECT
995	PE_ID/TEMPLATE NOT FOUND	PE_ID/TEMPLATE NOT FOUND
888	PEID MISMATCH	REJECT
889	PEID BLANK	PEID BLANK
887	PE_ID/TEMPLATE NOT FOUND	PE_ID/TEMPLATE NOT FOUND
886	TEMPLATE MISMATCH	TEMPLATE MISMATCH
		Header Inactive/Not
885	Header Inactive/Not registered	registered
994	Invalid Template_id	Invalid Template_id
990	DND	DND
991	inactive template	inactive template
882	OPR MSIDN BLOCK	OPR MSIDN BLOCK
		Operator Blacklisted
993	Operator Blacklisted Content/Header	Content/Header
883	Variable lenth execeded	Variable lenth execeded
884	Consent Resevered	

HTTP API (VOICE ONLY)

http://www.smswave.in/api/voice.php?username=demodemo&password=sms 123&retry=0&retrytime=0&msisdn=91xxxxxxx&text=text&coding=0&rpromt=2 &rdtmf=on&dtmftimeout=0

Parameters	Mandatory	Values	Description
Username	YES	Username	The username can
		provided	be in alphanumeric or
		by SMSWAVE.in -	alphabetic format with
		alphanumeric	no special characters
Password	YES	Url Encoded string	The password must be
		of UTF-8	the same as used to log
		characters	on to
		alphanumeric -	the SMSWAVE.in portal.
		with special	
		character -	
		alphabetic	
retry	Optional	0 = skip (default)	Number of times call
		<x> = Put any</x>	should retry unless user
		number (times	picks up the call, if you
		you want to retry)	dont want to retry put 0
retrytime	Optional	0 = skip (default)	if you dont want to retry
			put 0. retrytime should

SMSWAVE.in – API V3 (Release 1 – HTTP) – Beta Release (Pre-Release draft) - document dated 7th Sept, 2023



msisdn	Mandatory	<pre><x> = Seconds between try time wait 91xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx</x></pre>	be given in sec. for example if yu want to retry after 10 minutes in case of no answer, then put 600(10*6) as value in it) The number must be in pure numeric format with no special characters
text	Optional	TEXT	text you want to convert in speech DLT Approval not needed here
coding	Optional	0=English 1=Hindi 2=Tamil (tests in progress) Will be updated in final release	in case of english 0 , in case of hindi and tamil give 2
Rprompt			
rdtmf dtmftimeout	Optional	0 = end call after the voice is executed <x> wait time in seconds after the voice call is finished</x>	How many seconds you want to give the user to press the dtmf key. for example if you want to give 7 seconds to user to enter the dtmf key, give value 7. if after 7 sec, user dosent enter any key, the call will be disconnected.(not mandatory field)